



MALAYSIAN STANDARD

MS IEC 60086-5:2017

**Primary batteries - Part 5: Safety of batteries
with aqueous electrolyte
(First revision)
(IEC 60086-5:2016, IDT)**

ICS: 29.220.10

Descriptors: primary batteries, safety, aqueous electrolyte

© Copyright 2017

DEPARTMENT OF STANDARDS MALAYSIA

DEVELOPMENT OF MALAYSIAN STANDARDS

The **Department of Standards Malaysia (STANDARDS MALAYSIA)** is the national standards and accreditation body of Malaysia.

The main function of STANDARDS MALAYSIA is to foster and promote standards, standardisation and accreditation as a means of advancing the national economy, promoting industrial efficiency and development, benefiting the health and safety of the public, protecting the consumers, facilitating domestic and international trade and furthering international cooperation in relation to standards and standardisation.

Malaysian Standards (MS) are developed through consensus by committees which comprise balanced representation of producers, users, consumers and others with relevant interests, as may be appropriate to the subject at hand. To the greatest extent possible, Malaysian Standards are aligned to or are adoption of international standards. Approval of a standard as a Malaysian Standard is governed by the Standards of Malaysia Act 1996 [Act 549]. Malaysian Standards are reviewed periodically. The use of Malaysian Standards is voluntary except in so far as they are made mandatory by regulatory authorities by means of regulations, local by-laws or any other similar ways.

For the purposes of Malaysian Standards, the following definitions apply:

Revision: A process where existing Malaysian Standard is reviewed and updated which resulted in the publication of a new edition of the Malaysian Standard.

Confirmed MS: A Malaysian Standard that has been reviewed by the responsible committee and confirmed that its contents are current.

Amendment: A process where a provision(s) of existing Malaysian Standard is altered. The changes are indicated in an amendment page which is incorporated into the existing Malaysian Standard. Amendments can be of technical and/or editorial nature.

Technical corrigendum: A corrected reprint of the current edition which is issued to correct either a technical error or ambiguity in a Malaysian Standard inadvertently introduced either in drafting or in printing and which could lead to incorrect or unsafe application of the publication.

NOTE: Technical corrigenda are not to correct errors which can be assumed to have no consequences in the application of the MS, for example minor printing errors.

STANDARDS MALAYSIA has appointed **SIRIM Berhad** as the agent to develop, distribute and sell Malaysian Standards.

For further information on Malaysian Standards, please contact:

Department of Standards Malaysia
Ministry of Science, Technology and Innovation
Level 1 & 2, Block 2300, Century Square
Jalan Usahawan
63000 Cyberjaya
Selangor Darul Ehsan
MALAYSIA

Tel: 60 3 8318 0002
Fax: 60 3 8319 3131
<http://www.jsm.gov.my>
E-mail: central@jsm.gov.my

OR **SIRIM Berhad**
(Company No. 367474 - V)
1, Persiaran Dato' Menteri
Section 2, P. O. Box 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA

Tel: 60 3 5544 6000
Fax: 60 3 5510 8095
<http://www.sirim.my>
E-mail: msonline@sirim.my

CONTENTS

Committee representation.....	iv
National foreword.....	v
FOREWORD.....	vii
INTRODUCTION.....	ix
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	8
4 Requirements for safety.....	10
4.1 Design	10
4.1.1 General	10
4.1.2 Venting	10
4.1.3 Insulation resistance	11
4.2 Quality plan.....	11
5 Sampling.....	11
5.1 General.....	11
5.2 Sampling for type approval	11
6 Testing and requirements	12
6.1 General.....	12
6.1.1 Applicable safety tests	12
6.1.2 Cautionary notice	13
6.1.3 Ambient temperature	13
6.2 Intended use	13
6.2.1 Intended use tests and requirements	13
6.2.2 Intended use test procedures	13
6.3 Reasonably foreseeable misuse	16
6.3.1 Reasonably foreseeable misuse tests and requirements	16
6.3.2 Reasonably foreseeable misuse test procedures.....	16
7 Information for safety.....	18
7.1 Precautions during handling of batteries	18
7.2 Packaging.....	20
7.3 Handling of battery cartons.....	20
7.4 Display and storage	20
7.5 Transportation.....	21
7.6 Disposal.....	21
8 Instructions for use	21
9 Marking	22
9.1 General (see Table 7)	22
9.2 Marking of small batteries (see Table 7)	22
9.3 Safety pictograms	22
Annex A (informative) Additional information on display and storage	23
Annex B (informative) Battery compartment design guidelines	24
B.1 Background.....	24
B.1.1 General	24
B.1.2 Battery failures resulting from poor battery compartment design.....	24
B.1.3 Potential hazards resulting from battery reversal.....	24
B.1.4 Potential hazards resulting from a short circuit.....	24
B.2 General guidance for appliance design	25

B.2.1	Key battery factors to be first considered	25
B.2.2	Other important factors to consider	25
B.3	Specific measures against reversed installation	26
B.3.1	General	26
B.3.2	Design of the positive contact	26
B.3.3	Design of the negative contact	26
B.3.4	Design with respect to battery orientation	27
B.3.5	Dimensional considerations	28
B.4	Specific measures to prevent short-circuiting of batteries	29
B.4.1	Measures to prevent short-circuiting due to battery jacket damage	29
B.4.2	Measures to prevent external short-circuit of a battery caused when coiled spring contacts are employed for battery connection	30
B.5	Special considerations regarding recessed negative contacts	31
B.6	Waterproof and non-vented devices	32
B.7	Other design considerations	32
Annex C (informative)	Safety pictograms	34
C.1	General	34
C.2	Pictograms	34
C.3	Recommendations for use	36
Bibliography		37
Figure 1	– Sampling for type approval tests and number of batteries required	11
Figure 2	– Temperature cycling procedure	16
Figure 3	– Circuit diagram for incorrect installation (four batteries in series)	17
Figure 4	– Circuit diagram for external short circuit	17
Figure 5	– Circuit diagram for overdischarge	18
Figure 6	– XYZ axes for free fall	18
Figure 7	– Ingestion gauge	20
Figure B.1	– Example of series connection with one battery reversed	24
Figure B.2	– Positive contact recessed between ribs	26
Figure B.3	– Positive contact recessed within surrounding insulation	26
Figure B.4	– Negative contact U-shaped to ensure no positive (+) battery contact	27
Figure B.5	– Design with respect to battery orientation	27
Figure B.6	– Example of the design of a positive contact of an appliance	28
Figure B.7	– Example of a short circuit, a switch is piercing the battery insulating jacket	29
Figure B.8	– Typical example of insulation to prevent short circuit	29
Figure B.9	– Insertion against spring (to be avoided)	30
Figure B.10	– Examples showing distorted springs	30
Figure B.11	– One example of protected insertion	30
Figure B.12	– Example of negative contacts	32
Figure B.13	– Example of series connection of batteries with voltage tapping	33
Table 1	– Test matrix	12
Table 2	– Intended use tests and requirements	13
Table 3	– Shock pulse	14

Table 4 – Test sequence	14
Table 5 – Test sequence	15
Table 6 – Reasonably foreseeable misuse tests and requirements	16
Table 7 – Marking requirements	22
Table B.1 – Dimensions of battery terminals and recommended dimensions of the positive contact of an appliance in Figure B.6	28
Table B.2 – Minimum wire diameters	31
Table B.3 – Dimensions of the negative battery terminal	32
Table C.1 – Safety pictograms	34

Committee representation

The Industry Standards Committee on Generation, Transmission and Distribution of Energy (ISC E) under whose authority this Malaysian Standard was adopted, comprises representatives from the following organisations:

Association of Consulting Engineers Malaysia
Department of Standards Malaysia
Federation of Malaysian Manufacturers
Jabatan Kerja Raya Malaysia
Malaysia Nuclear Power Corporation
Malaysian Association of Standards Users
Malaysian Cable Manufacturers Association
Malaysian Electrical Appliances and Distributors Association
Malaysian Green Technology Corporation
Persatuan Kontraktor Elektrikal dan Mekanikal Melayu Malaysia
Sabah Electricity Sdn Bhd
Sarawak Energy Berhad
SIRIM Berhad (Secretariat)
SIRIM QAS International Sdn Bhd
Suruhanjaya Komunikasi dan Multimedia Malaysia
Suruhanjaya Tenaga
Sustainable Energy Development Authority Malaysia
Tenaga Nasional Berhad
The Electrical and Electronics Association of Malaysia
The Institution of Engineers, Malaysia
Universiti Malaya

The Technical Committee on LVDC Supply, Storage and EV Charging which recommended the adoption of the IEC Standard as Malaysian Standard consists of representatives from the following organisations:

Jabatan Kerja Raya Malaysia
Malaysian Automotive Association
Malaysian Green Technology Corporation
Perusahaan Otomobil Nasional Sdn Bhd
SIRIM Berhad (Secretariat)
SIRIM QAS International Sdn Bhd
Suruhanjaya Tenaga
The Electrical and Electronics Association of Malaysia
TNB Research Sdn Bhd
Universiti Tenaga Nasional

National foreword

The adoption of the IEC Standard as a Malaysian Standard was recommended by the Technical Committee on LVDC Supply, Storage and EV Charging under the authority of the Industry Standards Committee on Generation, Transmission and Distribution of Energy.

This Malaysian Standard is identical with IEC 60086-5:2016, *Primary batteries - Part 5: Safety of batteries with aqueous electrolyte*, published by the International Electrotechnical Commission (IEC). However, for the purposes of this Malaysian Standard, the following apply:

- a) in the source text, "this International Standard" should read "this Malaysian Standard";
- b) the comma which is used as a decimal sign (if any), to read as a point;
- c) the basis IEC 60086-5 is printed in English and French versions. However, only the English version is retained for this Malaysian Standard; and
- d) reference to International Standards should be replaced by corresponding Malaysian Standards as follows:

<u>Referenced International Standards</u>	<u>Corresponding Malaysian Standards</u>
IEC 60086-1, <i>Primary batteries - Part 1: General</i>	MS IEC 60086-1, <i>Primary batteries - Part 1: General</i>
IEC 60086-2, <i>Primary batteries - Part 2: Physical and electrical specifications</i>	MS IEC 60086-2, <i>Primary batteries - Part 2: Physical and electrical specifications</i>
IEC 60068-2-6, <i>Environmental testing - Part 2-6: Tests - Test Fc: Vibrations (sinusoidal)</i>	MS IEC 60068-2-6, <i>Environmental testing - Part 2-6: Tests - Test Fc: Vibrations (sinusoidal)</i>
IEC 60068-2-27, <i>Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock</i>	MS IEC 60068-2-27, <i>Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock</i>

- e) reference to International Standards in Bibliography should be replaced by corresponding Malaysian Standards as follows:

<u>Referenced International Standards</u>	<u>Corresponding Malaysian Standards</u>
IEC 60086-3, <i>Primary batteries - Part 3: Watch batteries</i>	MS IEC 60086-3, <i>Primary batteries - Part 3: Watch batteries</i>
IEC 60086-4, <i>Primary batteries - Part 4: Safety of lithium batteries</i>	MS IEC 60086-4, <i>Primary batteries - Part 4: Safety of lithium batteries</i>
ISO 8124-1, <i>Safety of toys - Part 1: Safety aspects related to mechanical and physical properties</i>	MS ISO 8124-1, <i>Safety of toys - Part 1: Safety aspects related to mechanical and physical properties</i>

National foreword (*continued*)

This Malaysian Standard cancels and replaces MS IEC 60086-5:2010, *Primary batteries - Part 5: Safety of batteries with aqueous electrolyte*.

Compliance with a Malaysian Standard does not of itself confer immunity from legal obligations.

NOTE. IDT on the front cover indicates an identical standard i.e. a standard where the technical content, structure, and wording (or is an identical translation) of a Malaysian Standard is exactly the same as in an International Standard or is identical in technical content and structure although it may contain the minimal editorial changes specified in clause 4.2 of ISO/IEC Guide 21-1.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRIMARY BATTERIES –

Part 5: Safety of batteries with aqueous electrolyte

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60086-5 has been prepared by IEC Technical Committee 35: Primary cells and batteries.

This fourth edition cancels and replaces the third edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) The definition of explosion was changed to suitable sentence in order to harmonize in IEC 60086 series;
- b) To prevent removal of hydrogen gas, we revised it to the suitable sentence,
- c) To prevent misuse, the battery compartments with parallel connections were revised to the suitable sentence.
- d) To clarify the method to determine the insulation resistance.

The text of this standard is based on the following documents:

FDIS	Report on voting
35/1360/FDIS	35/1361/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60086 series, published under the general title *Primary batteries*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.