



# MALAYSIAN STANDARD

MS 61000-3-7:2010

## ELECTROMAGNETIC COMPATIBILITY (EMC) - PART 3-7: LIMITS - ASSESSMENT OF EMISSION LIMITS FOR THE CONNECTION OF FLUCTUATING INSTALLATIONS TO MV, HV AND EHV POWER SYSTEMS (FIRST REVISION)

ICS: 33.100.10

Descriptors: electromagnetic compatibility, assessment, emission limits, connection, fluctuating installations, MV, HV, EHV power systems

© Copyright 2010

DEPARTMENT OF STANDARDS MALAYSIA

## DEVELOPMENT OF MALAYSIAN STANDARDS

The **Department of Standards Malaysia (STANDARDS MALAYSIA)** is the national standards and accreditation body of Malaysia.

The main function of STANDARDS MALAYSIA is to foster and promote standards, standardisation and accreditation as a means of advancing the national economy, promoting industrial efficiency and development, benefiting the health and safety of the public, protecting the consumers, facilitating domestic and international trade and furthering international cooperation in relation to standards and standardisation.

Malaysian Standards (MS) are developed through consensus by committees which comprise balanced representation of producers, users, consumers and others with relevant interests, as may be appropriate to the subject at hand. To the greatest extent possible, Malaysian Standards are aligned to or are adoption of international standards. Approval of a standard as a Malaysian Standard is governed by the Standards of Malaysia Act 1996 [Act 549]. Malaysian Standards are reviewed periodically. The use of Malaysian Standards is voluntary except in so far as they are made mandatory by regulatory authorities by means of regulations, local by-laws or any other similar ways.

STANDARDS MALAYSIA has appointed **SIRIM Berhad** as the agent to develop, distribute and sell the Malaysian Standards.

For further information on Malaysian Standards, please contact:

**Department of Standards Malaysia** OR  
**Ministry of Science, Technology and Innovation**  
Level 1 & 2, Block 2300, Century Square  
Jalan Usahawan  
63000 Cyberjaya  
Selangor Darul Ehsan  
MALAYSIA

Tel: 60 3 8318 0002  
Fax: 60 3 8319 3131  
<http://www.standardsmalaysia.gov.my>

E-mail: [central@standardsmalaysia.gov.my](mailto:central@standardsmalaysia.gov.my)

**SIRIM Berhad**  
**(Company No. 367474 - V)**  
1, Persiaran Dato' Menteri  
Section 2  
40000 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA

Tel: 60 3 5544 6000  
Fax: 60 3 5510 8095  
<http://www.sirim.my>

E-mail: [msonline@sirim.my](mailto:msonline@sirim.my)

## CONTENTS

	<b>Page</b>
Committee representation .....	iv
Foreword.....	v
1 Scope.....	1
2 Normative references .....	2
3 Terms and definitions .....	2
4 Basic EMC concepts related to voltage fluctuations .....	6
5 General principles.....	11
6 General guidelines for the assessment of emission levels .....	13
7 General summation law.....	15
8 Emission limits for fluctuating installations connected to MV systems.....	16
9 Emission limits for fluctuating installations connected to HV or EHV systems .....	22
10 Rapid voltage changes .....	25
Table 1 Compatibility levels for flicker in low voltage systems reproduced from MS IEC 61000-2-2.....	7
Table 2 Indicative values of planning levels for flicker in MV, HV and EHV power systems .....	7
Table 3 Stage 1 limits for the relative changes in power as a function of the number of changes per minute .....	16
Table 4 Minimum emission limits at MV.....	19
Table 5 Minimum emission limits at HV-EHV .....	25
Table 6 Indicative planning levels for rapid voltage changes as a function of the number of such changes in a given period .....	27
Table A1 Input relative voltage fluctuation $\Delta V/V$ for $P_{st} = 1.0$ at output [13] .....	30
Table B1 Example of flicker transfer coefficients .....	31

**CONTENTS** *(continued)*

	<b>Page</b>
Table D1	Compatibility levels for $A_{st}$ and $A_{ft}$ in LV and MV power systems ..... 36
Table D2	Indicative values of planning levels for $A_{st}$ and $A_{ft}$ in MV, HV and EHV power systems ..... 37
Table G1	Flicker measurements for example G3, flicker effects, normal operation..... 58
Figure 1	Illustration of basic voltage quality concepts with time/location statistics covering the whole systems ..... 9
Figure 2	Illustration of basic voltage quality concepts with time statistics relevant to one site within the whole system ..... 10
Figure 3	Example of a system for sharing global contributions at MV ..... 17
Figure 4	Diagram of evaluation procedure ..... 21
Figure 5	Determination of $S_t$ for a simple HV or EHV system ..... 22
Figure 6	Determination of $S_t$ for a meshed HV or EHV system ..... 23
Figure 7	Equivalent circuit and vector diagram for simple assessments ..... 26
Figure 8	Example rapid voltage change associated with motor starting ..... 26
Figure 9	Example rapid voltage change associated with capacitor switching ..... 26
Figure A1	$P_{st} = 1$ curve for regular rectangular voltage changes [13] ..... 29
Figure E1	Shape factor curve for pulse and ramp changes ..... 40
Figure E2	Shape factor curves for double-step and double-ramp changes ..... 40
Figure E3	Shape factor curves for sinusoidal and triangular changes ..... 41
Figure E4	Shape factor curves for a periodic changes ..... 42
Figure E5	Accounting for network loading ..... 45
Figure E6	System for flicker emission assessment ..... 46
Figure E7	Assessment of emission level using current measurements ..... 48
Figure F1	Example of two loads fed from different busbars ..... 49
Figure G1	Example of effect from a rolling mill ..... 51

**CONTENTS** (*concluded*)

	<b>Page</b>
Figure G2 Example of effect of multiple spot welder load .....	53
Figure G3 Example profile of winder reactive power levels .....	59
Figure G4 Normal system configuration .....	60
Figure G5 Busbars coupled .....	62
Figure G6 "n-1" system configuration .....	63
Figure G7 Operation without SVC .....	64
Annex A $P_{st} = 1$ curves and numerical data for 230 V and 120 V applications .....	29
Annex B Guidelines on the assessment of flicker transfer coefficient.....	31
Annex C Example of reallocation of global contributions and planning levels considering transfer coefficients .....	33
Annex D The use of the severity indicators $A_{st}$ and $A_{ft}$ to simplify calculations .....	36
Annex E Pre-connection and post-connection assessment of emission for $P_{st}$ .....	38
Annex F Addition of $P_{st}$ from different busbars.....	49
Annex G Examples of case studies .....	51
Annex H List of symbols and subscripts .....	65
Bibliography .....	68

## MS 61000-3-7:2010

### Committee representation

The Industry Standards Committee on Generation, Transmission and Distribution of Electrical Energy (ISC E) under whose authority this Malaysian Standard was developed, comprises representatives from the following organisations:

Association of Consulting Engineers Malaysia  
Department of Standards Malaysia  
Federation of Malaysian Manufacturers  
Jabatan Kerja Raya Malaysia  
Malaysia Energy Centre  
Malaysian Association of Standards Users  
Malaysian Cable Manufacturers Association  
Malaysian Electrical Appliances and Distribution Association  
Ministry of Domestic Trade, Co-operatives and Consumerism  
Ministry of International Trade and Industry  
Persatuan Kontraktor Elektrikal dan Mekanikal Melayu Malaysia  
Persatuan Penjana Kuasa Bebas  
SIRIM Berhad (Secretariat)  
SIRIM QAS International Sdn Bhd  
Suruhanjaya Komunikasi dan Multimedia Malaysia  
Suruhanjaya Tenaga  
Tenaga Nasional Berhad  
The Electrical and Electronics Association of Malaysia  
The Institution of Engineers, Malaysia  
Universiti Teknologi Malaysia

The Technical Committee on Power Quality which developed this Malaysian Standard consists of representatives from the following organisations:

Federation of Malaysian Manufacturers  
Jabatan Kerja Raya Malaysia  
Ministry of Public Utilities Sarawak  
Petroleum Nasional Berhad  
SIRIM Berhad (Secretariat)  
SIRIM QAS International Sdn Bhd  
Suruhanjaya Tenaga  
Syarikat SESCO Berhad  
Tenaga Nasional Berhad (Distribution Division)  
The Electrical and Electronics Association of Malaysia  
The Institution of Engineers, Malaysia  
TNB Research Sdn Bhd  
Universiti Teknologi Malaysia  
Universiti Teknologi MARA

## **FOREWORD**

This Malaysian Standard was developed by the Technical Committee on Power Quality under the authority of the Industry Standards Committee on Generation, Transmission and Distribution of Electrical Energy.

This Malaysian Standard is the first revision of MS IEC 61000-3-7, *Electromagnetic compatibility (EMC) - Part 3-7: Assessment of emission limits for the connection of fluctuating installations to MV, HV and EHV power systems*.

This Malaysian Standard is technically identical with IEC/TR 61000-3-7:2008, *Electromagnetic compatibility (EMC) - Part 3-7: Limits - Assessment of emission limits for the connection of fluctuating installations to MV, HV and EHV power systems*, published by the International Electrotechnical Commission (IEC).

This Malaysian Standard cancels and replaces MS IEC 61000-3-7:2001.

This Malaysian Standard has been redrafted in order to provide a structure consistent with that of other Malaysian Standard.

Compliance with a Malaysian Standard does not of itself confer immunity from legal obligations.