



MALAYSIAN STANDARD

MS 2015: PART 1:2006

PUBLIC TOILETS – PART 1: MINIMUM DESIGN CRITERIA

ICS: 03.080.30

Descriptors: performance requirement, design, location, number of toilets units, expectations of users

© Copyright 2006

DEPARTMENT OF STANDARDS MALAYSIA

DEVELOPMENT OF MALAYSIAN STANDARDS

The **Department of Standards Malaysia (DSM)** is the national standardisation and accreditation body.

The main function of the Department is to foster and promote standards, standardisation and accreditation as a means of advancing the national economy, promoting industrial efficiency and development, benefiting the health and safety of the public, protecting the consumers, facilitating domestic and international trade and furthering international cooperation in relation to standards and standardisation.

Malaysian Standards are developed through consensus by committees which comprise of balanced representation of producers, users, consumers and others with relevant interests, as may be appropriate to the subject in hand. These standards where appropriate are adoption of international standards. Approval of a standard as a Malaysian Standard is governed by the Standards of Malaysia Act 1996 (Act 549). Malaysian Standards are reviewed periodically. The use of Malaysian Standards is voluntary except in so far as they are made mandatory by regulatory authorities by means of regulations, local by-laws or any other similar ways.

The Department of Standards appoints **SIRIM Berhad** as the agent to develop Malaysian Standards. The Department also appoints SIRIM Berhad as the agent for distribution and sale of Malaysian Standards.

For further information on Malaysian Standards, please contact:

Department of Standards Malaysia OR
Level 1 & 2, Block C4, Parcel C
Federal Government Administrative Centre
62502 Putrajaya
Malaysia

Tel: 60 3 88858000
Fax: 60 3 88885060
<http://www.dsm.gov.my>

Email: central@dsm.gov.my

SIRIM Berhad
1, Persiaran Dato' Menteri
P.O. Box 7035, Section 2
40911 Shah Alam
Selangor D.E.

Tel: 60 3 5544 6000
Fax: 60 3 5510 8095
<http://www.sirim.my>

CONTENTS

		Page
	Committee representation.....	iv
	Foreword.....	v
1	General	
1.1	Objective.....	1
1.2	Scope.....	1
1.3	Normative references.....	1
1.4	Application.....	1
1.5	Statutory provisions.....	2
1.6	Definitions.....	2
2	Performance requirements	
2.1	Scope.....	4
2.2	Function and context of use.....	4
2.3	Performance requirements.....	4
3	Design of public toilets	
3.1	Scope.....	6
3.2	General.....	6
3.3	Guide for design brief preparation.....	6
3.4	Design considerations.....	7
3.5	Type and design of toilet unit and toilet facility.....	9
3.6	Features and fittings.....	11
3.7	Guideline examples of toilet units.....	11
4	Location	
4.1	Scope.....	12
4.2	General.....	12
4.3	Provider considerations.....	12
4.4	Location.....	13
5	Number of toilet units	
5.1	Scope.....	14
5.2	General.....	14
5.3	Expansion.....	14
5.4	Determination of number of toilet units required.....	14
5.5	Accessible toilet units.....	15
5.6	Parenting units and shower units.....	16
5.7	Squat toilets.....	16
5.8	Urinals.....	16

CONTENTS (continued)

	Page
6	Expectations of users
6.1	Scope..... 16
6.2	General..... 16
6.3	Quality..... 17
 Annexes	
A	Design features and criteria..... 19
B	Toilet fittings and criteria..... 22
C	Number of toilet units – Example calculations..... 29
D	Relevant statutory provisions..... 37
E	Public toilet facilities – Example layouts..... 38
F	Guide plans for toilet units..... 44
 Tables	
1	Number of accessible toilet units required..... 16
2	Number of parenting and shower units required..... 16
3	Examples of location and expectation of users..... 18
A1	Design features for toilet facilities..... 20
B1	Toilet fittings..... 23
C1	Arrival rate..... 30
C2	Mean occupancy times..... 31
C3	Design occupancy times..... 31
 Figures	
E1	Gender-specific – Attended..... 38
E2	Gender-specific with all-gender foyer and all-gender accessible unit – Attended.... 39
E3	Gender-specific with all-gender accessible unit – Unattended..... 40
E4	All-gender or gender-specific – Unattended..... 41
E5	All-gender or gender-specific – Unattended..... 42
F1	Typical squatting W.C., cubicle without drop with grab bar – (Layout plan – Section)..... 48
F2	Typical pedestal W.C. cubicle without drop with grab bar – (Layout plan – Section)..... 49
F3	Typical squatting W.C. cubicle with drop and grab bar – (Layout plan – Section)..... 50
F4	Typical pedestal W.C. cubicle with drop and grab bar – (Layout plan – Section)..... 51
F5	Typical squatting W.C. cubicle with rear ventilation – (Layout plan – Section)..... 52
F6	Typical squatting W.C. cubicle with drop and rear ventilation – (Layout plan – Section)..... 53

CONTENTS *(continued)*

	Page
F7	Typical pedestal W.C. cubicle with rear ventilation – (Layout plan – Section)..... 54
F8	Typical pedestal W.C. cubicle with drop and rear ventilation – (Layout plan – Section)..... 55
F9	Adult urinal (exposed flush system) – Layout plan..... 56
F10	Adult urinal (exposed flush system) – Elevation..... 57
F11	Adult urinal (exposed flush system) – Section..... 58
F12	Adult urinal (concealed flush system) – Layout plan..... 59
F13	Adult urinal (concealed flush system) – Elevation..... 60
F14	Adult urinal (concealed flush system) – Section..... 61
F15	Children urinal (exposed flush system) – Layout plan..... 62
F16	Children urinal (exposed flush system) – Elevation..... 63
F17	Children urinal (exposed flush system) – Section..... 64
F18	Children urinal (concealed flush system) – Layout plan..... 65
F19	Children urinal (concealed flush system) – Elevation..... 66
F20	Children urinal (concealed flush system) – Section..... 67
F21	Typical wash basin (under counter) with seamless counter top for adult and children – Layout plan..... 68
F22	Typical wash basin (under counter) with seamless counter top for adult and children – Section..... 69
F23	Typical wash basin (under counter) with seamless counter top for adult and children – Elevation..... 70
F24	Self-contained parenting unit (inward/outward opening door) – Layout plan..... 71
F25	Ordinary parenting and toilet unit (sliding door) – Layout plan 72
F26	Accessible toilet unit (sliding door) – Layout plan 73
F27	Male, female, cleaner’s room and accessible toilet – Layout plan 74
F28	Male, female, baby changing room and accessible toilet – Layout plan..... 75
F29	Accessible ablution – Layout plan 76