



MALAYSIAN STANDARD

MS 2063:2008

TEST METHOD FOR HYDROGEN SULFIDE IN LIQUEFIED PETROLEUM (LP) GASES (LEAD ACETATE METHOD)

ICS: 75.160.30

Descriptors: hydrogen sulfide, test method, liquefied petroleum gases, lead acetate method

FOR SALE WITHIN MALAYSIA ONLY

This Malaysian Standard is identical to ASTM D 2420-07, Standard test method for hydrogen sulfide in liquefied petroleum (LP) gases (Lead acetate method). Copyright ASTM International, 100 Barr Harbor Drive, West Conshohocken, PA 19428, USA. Reprinted by permission of ASTM International.

© Copyright 2008

DEPARTMENT OF STANDARDS MALAYSIA

DEVELOPMENT OF MALAYSIAN STANDARDS

The **Department of Standards Malaysia (STANDARDS MALAYSIA)** is the national standardisation and accreditation body.

The main function of the Department is to foster and promote standards, standardisation and accreditation as a means of advancing the national economy, promoting industrial efficiency and development, benefiting the health and safety of the public, protecting the consumers, facilitating domestic and international trade and furthering international cooperation in relation to standards and standardisation.

Malaysian Standards are developed through consensus by committees which comprise of balanced representation of producers, users, consumers and others with relevant interests, as may be appropriate to the subject in hand. To the greatest extent possible, Malaysian Standards are aligned to or are adoption of international standards. Approval of a standard as a Malaysian Standard is governed by the Standards of Malaysia Act 1996 (Act 549). Malaysian Standards are reviewed periodically. The use of Malaysian Standards is voluntary except in so far as they are made mandatory by regulatory authorities by means of regulations, local by-laws or any other similar ways.

The Department of Standards appoints **SIRIM Berhad** as the agent to develop Malaysian Standards. The Department also appoints SIRIM Berhad as the agent for distribution and sale of Malaysian Standards.

For further information on Malaysian Standards, please contact:

Department of Standards Malaysia
Century Square, Level 1 & 2
Block 2300, Jalan Usahawan
63000 Cyberjaya, Selangor
MALAYSIA

Tel: 60 3 83180002
Fax: 60 3 83181455

<http://www.standardsmalaysia.gov.my>

E-mail: central@standardsmalaysia.gov.my

OR **SIRIM Berhad**
(Company No. 367474 - V)
1, Persiaran Dato' Menteri
P.O. Box 7035, Section 2
40911 Shah Alam
Selangor D.E.

Tel: 60 3 5544 6000
Fax: 60 3 5510 8095

<http://www.sirim.my>

CONTENTS

		Page
Committee representation.....		ii
Foreword.....		iii
1	Scope.....	1
2	Referenced documents.....	1
3	Summary of test method.....	1
4	Significance and use.....	1
5	Interferences.....	1
6	Apparatus and materials.....	1
7	Sampling.....	2
8	Procedure.....	2
9	Report.....	2
10	Precision and bias.....	2
11	Keywords.....	3
Figure 1 Apparatus for detecting hydrogen sulfide in liquefied petroleum gas.....		2

MS 2063:2008

Committee representation

The Petroleum and Gas Industry Standards Committee (ISC H) under whose authority this Malaysian Standard was adopted, comprises representatives from the following organisations:

Association of Consulting Engineers Malaysia
Association of Malaysian Oil and Gas Engineering Consultants
ExxonMobil Malaysia Sdn Bhd
Jabatan Bomba dan Penyelamat Malaysia
Jabatan Keselamatan dan Kesihatan Pekerjaan Malaysia
Jabatan Pengangkutan Jalan Malaysia
Jabatan Standard Malaysia
Malaysian Gas Association
Malaysian International Chamber of Commerce and Industry
Malaysian Petroleum Institute
Malaysian Plastics Manufacturers Association
Ministry of Domestic Trade and Consumer Affairs
Ministry of International Trade and Industry
Petroleum Nasional Berhad
Shell Malaysia Trading Sdn Bhd
Suruhanjaya Tenaga
The Institution of Engineers, Malaysia
Universiti Teknologi Malaysia
Universiti Teknologi Petronas

The Technical Committee on Liquefied Petroleum Gases and Related Products which recommends adoption of the ASTM Standard consists of representatives from the following organisations:

Boustead Petroleum Marketing Sdn Bhd
Gas Malaysia Sdn Bhd
Jabatan Bomba dan Penyelamat Malaysia
Jabatan Keselamatan dan Kesihatan Pekerjaan Malaysia
Jabatan Pengangkutan Jalan Malaysia
Ministry of Domestic Trade and Consumer Affairs
Persatuan Kontraktor Retikulasi Gas
Petronas Dagangan Berhad
Shell Malaysia Trading Sdn Bhd
SIRIM Berhad (Secretariat)
Suruhanjaya Tenaga
Universiti Teknologi Malaysia

FOREWORD

The adoption of the ASTM Standard as a Malaysian Standard was recommended by the Technical Committee on Liquefied Petroleum Gases and Related Products under the authority of the Petroleum and Gas Industry Standards Committee.

This Malaysian Standard is identical to ASTM D 2420-07, *Standard test method for hydrogen sulfide in liquefied petroleum (LP) gases (Lead acetate method)*, published by the ASTM International, with the exception as listed below.

MALYSIAN STANDARD EXCEPTION

- a) reference to ASTM Standard should be replaced by equivalent Malaysian Standard as follows:

Referenced ASTM Standard

Corresponding Malaysian Standard

ASTM D 1835, *Specification for liquefied petroleum (LP) gases*

MS 158, *Liquefied petroleum (LP) gases - Specification*

Compliance with a Malaysian Standard does not of itself confer immunity from legal obligations.